image.

FFICE / STATE OF THE STATE OF T

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of Young Serial No.: 10/084,723

Serial No.: 10/084,723 Group Art Unit: 2826
Filed: 2/25/2002 Examiner: Mandala, Victor A

Title: MATRIX ARRAY DEVICES WITH FLEXIBLE SUBSTRATES

Commissioner for Patents Alexandria, VA 22313-1450

Sir:

Enclosed is an original plus two copies of an Appeal Brief in the above-identified application.

[X] A credit card authorization in the amount of \$330 is enclosed.

[]The Commissioner has already been authorized to charge fees in this application to Deposit Account .

[]The Commissioner is hereby authorized to charge any fees which may be required, or credit any overpayment, to Deposit Account ______. Enclosed is a copy of this sheet.

Respectfully submitted,

Atty. Docket No.: GB 010051

Robert M. McDermott, Esq.

Reg. No. 41,508 804-493-0707

CERTIFICATE OF MAILING

It is hereby certified that this correspondence is being deposited with the United States Postal Service as first-class mail in an envelope addressed to:

Mail Stop Appeal Brief- Patents, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450

On 4 November 2003

Bv



In re Application of Young Atty. Docket No.: GB-010051

Serial No.: 10/084,723 Group Art Unit: 2826

Filed: 25-Feb-2002 Examiner: Mandala, Victor A

Title: MATRIX ARRAY DEVICES WITH FLEXIBLE SUBSTRATES

APPELLANT'S BRIEF ON APPEAL UNDER 37 C.F.R. § 1.192

Commissioner for Patents Alexandria, VA 22313-1450

Sir:

This is an appeal from the decision of the Examiner dated 4 June 2003, finally rejecting claims 1-15 of the subject application.

I. REAL PARTY IN INTEREST

The above-identified application is assigned, in its entirety, to Koninklijke Philips Electronics, N.V., The Netherlands.

II. RELATED APPEALS AND INTERFERENCES

Appellant is not aware of any co-pending appeal or interference which will directly affect or be directly affected by or have any bearing on the Board's decision in the pending appeal.

III. STATUS OF CLAIMS

Claims 1-15 are pending in the application. Claims 1-3, 6, 8-11, and 13 stand rejected by the Examiner under 35 U.S.C. 102(e), and claims 4, 5, 7, and 12 stand rejected by the Examiner under 35 U.S.C. 103(a).

IV. STATUS OF AMENDMENTS

No amendments were filed subsequent to the final rejection in the Office Action dated 4 June 2003.

11/06/2003 BABRAHA1 00000010 10084723

01 FC:1402

330.00 OP

V. SUMMARY OF THE INVENTION

The invention comprises a flexible or curved display device that includes semiconductor devices and pixel electrodes on a substrate. The semiconductor devices 12 and the pixel electrodes 18 are arranged on the substrate 20 to each occupy distinguishable first areas and second areas on the substrate (Applicant's FIG. 3). The substrate is structured relative to these first areas and second areas such that flexing or curvature of the substrate occurs more readily at the areas of the substrate where the pixel electrodes 18 are located, compared to the areas of the substrate where the semiconductor devices 12 are located (Applicant's page 3, lines 9-15).

The controlled flexing is achieved, for example, by thinning 50 or otherwise weakening the substrate 20 beneath the pixel electrode 18 areas (Applicant's FIGs. 3 and 4, and page 7, line 17 through page 8, line 12). Thickening 60 or otherwise strengthening the substrate 20 beneath the semiconductor devices 12 has a similar effect (Applicant's FIGs. 6 and 7, and page 13, line 20 through page 14, line 9).

VI. ISSUES

Are claims 1-3, 6, 8-11, and 13 patentable under 35 U.S.C. 102(e) over Nishizawa et al. (USP 6,323,832, hereinafter Nishizawa)?

Are claims 4 and 5 patentable under 35 U.S.C. 103(a) over Nishizawa?

Are claims 7 and 12 patentable under 35 U.S.C. 103(a) over Nishizawa and Shanks et al. (USP 5,821,688, hereinafter Shanks)?

VII. GROUPING OF CLAIMS

Claims 1-15 stand or fall together.

VIII. ARGUMENT

Are claims 1-3, 6, 8-11, and 13 patentable under 35 U.S.C. 102(e) over Nishizawa?

In each of the independent claims 1 and 2, upon which all of the other claims depend, the Applicant specifically recites an array device having a matrix circuit on a substrate, wherein semiconductor devices of the matrix circuit are located in first areas of the substrate, and pixel electrodes of the matrix circuit are located in second areas of the substrate. In claim 1, the substrate is configured to flex more readily in the second areas; in claim 2, the array device is curved, and the curvature is achieved via a deformation of the substrate at the second areas.

Nishizawa teaches a display device formed by luminous elements, preferably light emitting diodes (LEDs), 1a, 2a, 3a, etc. placed on a flexible substrate. Nishizawa does not distinguish between the areas at which the semiconductor devices are located on the substrate and the areas at which the pixel electrodes are located on the substrate. Nishizawa's luminous elements 1a, 2a, 3a, etc. each include all of the components required to emit the desired light pattern for each pixel (Nishizawa's column 2, lines 50-61).

Nishizawa does not distinguish between the semiconductor devices and the pixel electrodes, if any, of the luminous elements. Nishizawa does use the term pixel electrode, and does not identify any components of the luminous elements 1a, 2a, 3a, etc. that occupy distinguishable areas from the semiconductor devices within the luminous elements 1a, 2a, 3a, etc. Thus, Nishizawa cannot be said to teach locating the semiconductor devices of the circuit in first areas and pixel electrodes of the circuit in second areas, as specifically claimed in each of the Applicant's independent claims.

Further, to facilitate bending of the display device, Nishizawa's substrate is weakened in areas that do not contain the luminous elements 1a, 2a, 3a, etc.; that is, Nishizawa's substrate is weakened in areas of the substrate that contains neither the semiconductor devices nor the pixel electrodes, if any, of the luminous elements. Nishizawa specifically teaches that only interconnecting wires are located in the areas that are weakened for bending, and the Applicant respectfully maintains that

interconnecting wires between luminous elements cannot be said to correspond to the Applicant's claimed pixel electrodes, as the term pixel electrode is used in the art, consistent with its use in the Applicant's specification.

Because Nishizawa teaches bending the substrate in areas that do not contain the luminous elements, the Applicant respectfully maintains that Nishizawa cannot be said to teach bending or curving the substrate in areas that contain pixel electrodes, as specifically claimed in the Applicant's independent claims 1 and 2.

Because Nishizawa does not teach distinguishing the areas in which semiconductor devices are located and pixel electrodes are located, and because Nishizawa does not teach configuring a substrate to curve or bend at areas in which the pixel electrodes are located, as specifically claimed in the Applicant's independent claims 1 and 2, the Applicant respectfully maintains that claims 1-3, 6, 8-11, and 13 are patentable under 35 U.S.C. 102(e) over Nishizawa.

Are claims 4 and 5 patentable under 35 U.S.C. 103(a) over Nishizawa?

Claims 4 and 5 are dependent upon claim 1, discussed above with regard to Nishzawa.

Because Nishizawa neither teaches nor suggests distinguishing the areas in which semiconductor devices are located and pixel electrodes are located, and because Nishizawa neither teaches nor suggests configuring a substrate to bend at areas in which the pixel electrodes are located, as specifically claimed in the Applicant's independent claim 1, upon which claims 4 and 5 depend, the Applicant respectfully maintains that claims 4 and 5 are patentable under 35 U.S.C. 103(a) over Nishizawa.

Are claims 7 and 12 patentable under 35 U.S.C. 103(a) over Nishizawa and Shanks?

Claims 7 and 12 are dependent upon claim 1, discussed above with regard to Nishzawa.

Shanks teaches a flexible display device wherein thin-film transistors and polymer light-emitting diodes are mounted on an insulating substrate that may be curved or flexible (Shanks, column 4, lines 15-18). Shanks does not specify how the substrate is

formed, and specifically does not refer to weakening the substrate in areas corresponding to pixel electrodes.

Because neither Nishizawa nor Shanks, individually or collectively, teaches or suggests distinguishing the areas in which semiconductor devices are located and pixel electrodes are located, and because neither Nishizawa nor Shanks, individually or collectively, teaches or suggests configuring a substrate to bend at areas in which the pixel electrodes are located, as specifically claimed in the Applicant's independent claim 1, upon which claims 7 and 12 depend, the Applicant respectfully maintains that claims 7 and 12 are patentable under 35 U.S.C. 103(a) over Nishizawa and Shanks.

CONCLUSIONS

Because the prior art does not teach or suggest distinguishing the areas in which semiconductor devices are located and pixel electrodes are located, and because the prior art does not teach or suggest configuring a substrate to bend or deform at the areas where the pixel electrodes are located, the Applicant respectfully requests that the Examiner's rejection of claims 1-3, 6, 8-11, and 13 under 35 U.S.C. 102(e), and claims 4, 5, 7, and 12 under 35 U.S.C. 103(a) be reversed by the Board, and the claims be allowed to pass to issue.

Respectfully submitted,

Robert M. McDermott, Attorney

Registration Number 41,508

804-493-0707

APPENDIX

CLAIMS ON APPEAL

1. A flexible matrix array device comprising

a thin film matrix circuit carried on the surface of a flexible substrate which matrix circuit includes:

semiconductor devices arranged in a regular array and occupying respective first areas of the substrate, and

pixel electrodes correspondingly coupled to each of the semiconductor devices and occupying respective second areas of the substrate;

wherein

the substrate is configured such that flexing of the substrate occurs more readily at the second areas than at the first areas.

2. A curved matrix array device comprising

a thin film matrix circuit carried on the surface of a substrate which matrix circuit includes:

semiconductor devices arranged in a regular array and occupying respective first areas of the substrate, and

pixel electrodes correspondingly coupled to each of the semiconductor devices and occupying respective second areas of the substrate;

wherein

the substrate is configured such that curvature of the device is accommodated substantially by deformation at the substrate at the second areas.

3. A device according to Claim 1, wherein

the second areas comprise locally thinner regions of the substrate.

4. A device according to Claim 3, wherein

the locally thinner regions are formed by selective etching of the substrate.

5. A device according to Claim 3, wherein

the substrate comprises a laminated structure with at least two layers and in which one layer is patterned to form the locally thinner regions.

6. A device according to Claim 1, wherein

the second areas comprise areas of the substrate at which the material of the substrate is rendered less stiff compared with the first areas of the substrate.

7. A device according to Claim 1, wherein

the substrate comprises polymer material.

8. A device according to Claim 1, wherein

the second areas include lines that facilitate flexing of the substrate between the first areas of the substrate.

9. A device according to Claim 8, wherein

the semiconductor devices are arranged in an array of rows and columns and wherein

the second areas comprise lines that facilitate flexing of the substrate extending across the array between rows and/or columns of semiconductor devices.

10. A device according to Claim 1, wherein

the first areas are thicker than the second areas of substrate.

11. A device according to claim 1, wherein

the semiconductor devices each comprise a semiconductor film formed into an island.

12. A device according to claim 1, wherein

the semiconductor devices comprises thin film transistors.

13. A device according to claim 1, wherein

the device comprises

an active matrix display devices having an array of display pixels.

14. A device according to Claim 13, wherein

the device comprises

an active matrix liquid crystal display device which includes a further flexible substrate mounted to the substrate carrying the matrix circuit with liquid crystal material disposed between the substrates.

15. A device according to Claim 14, wherein

the further substrate has lines that facilitate flexing formed therein.